BIOTEKE

DRUGS OF ABUSE TEST CHOICE

DOA Rapid Tests

Formats: Cassette, Panel, Cup
Sample: Urine
Storage: 4~30°C
Shelf Life: 24 months
Principle: Competitive immunoassay
Qualification: GPSR



DOA Single Tests(14 items available)

SUBSTANCE TESTED	CUT-OFF LEVEL	MIN DETECTION TIME	MAX DETECTION TIME	SUBSTANCE TESTED	CUT-OFF LEVEL	MIN DETECTION TIME	MAX DETECTION TIME
FENT	1ng/mL	1-2 hours	1-3 days	BUP	10ng/mL	1 hours	1-7 days
THC	50ng/mL	2 hours	Up to 5+ days	OXY	100ng/mL	2 hours	2 days
MDMA	500ng/mL	2-7 hours	2-4 days	AMP	500ng/mL	2-7 hours	1-2 days
MOP	300ng/mL	2 hours	2-3 days	COC	150ng/mL	1-4 hours	2-4 days
BZO	300ng/mL	2-7 hours	1-2 days	MET	500ng/mL	2-7 hours	2-4 days
MTD	300ng/mL	3-8 hours	1-3 days	PCP	25ng/mL	4-6 hours	1-4 days
BAR	300ng/mL	2-4 hours	1-4 days	TCA	1000ng/mL	2 hours	7-10 days

DOA Multi Tests(Various combinations available)

Product	Test items	Format	Specimen	Sensitivity
Multi-drug Test Panel	2-14 items	Panel	Urine	Variable
Multi-drug Test Cup	2-14 items	T-cup	Urine	Variable

*Note: Multi-drug test panel/cup offers any combinations of single drug abuse tests of above.

APPLICABLE SCENARIOS

Law enforcement and the judiciary

On-site inspections, surprise inspections, drug rehabilitation monitoring, roadside checks for drug-impaired driving, customs drug screening.

Public health testing

Hospital acute poisoning screening, community drug rehabilitation center rehabilitation monitoring, school entrance examination, pre-employment examination.

BioTeke reserves all rights. All contents of the brochure are copyrighted by BioTeke.

BioTeke Corporation(Wuxi) Co., Ltd

No.90 Huiming Road, Huishan, Wuxi, Jiangsu 214000, China
E-mail: zr@bioteke.cn

Tel: +86-133-5792-7939
Website: www.bioteke.cn